


Plastuk

THE BEST SOLUTION FOR
REPAIRING WOOD

- Easy to apply
- Doesn't shrink



IMPA INNOVATING
CONTEMPORARY IDEAS SURFACES FOR
BUILDING

POLYESTER - BASED WOOD RENEWING PASTE



Two-component polyester filler paste for restoring wood, suitable for all work on wooden substrates, such as the reconstruction of missing parts, even large ones, filling or smoothing off wooden surfaces. Any final thickness can be obtained by applying several layers a few minutes apart.

It hardens quickly when adding the special catalyst; after hardening, it can be sawn, planed, drilled and sanded, just like wood.


Plastuk can be applied on woods of every type provided they are treated as suggested in the Technical Data Sheet.

Also available on deep black colour of PLASTUK BLACK which remains even after sanding. This colour can be enhanced by applying a layer of clear finish; this makes PLASTUK BLACK particularly suitable for using on dark wood to obtain a beautiful finish.

COLOURS



3012 Black Ral 9004 - Plastuk Black



1015 White



4075 Swedish Pine



5073 Oak




5003 Douglas



7068 Mahogany



5002 Nut



5053 Dark Brown
Ral 8028



3012 Ebony

Packages

	Colour		Unit size	pcs
3005 PLASTUK LEGNO	Colour chart	cartridge	1,445 Kg A+B	6
	1015 White	can	1,03 Kg A+B	6
	4075 Swedish Pine			
	5002 Nut			
	5003 Douglas			
	5073 Oak			
	7068 Mahogany			
	1015 White	small can	0,2 Kg A+B	12
	5002 Nut			
	5073 Oak			
3027 PLASTUK BLACK	3012 Black Ral 9004	cartridge	1,445 Kg A+B	6

Technical characteristics

Aspect	Thixotropic paste, Shapeable
Support	Wood, Steel
Type of repair work	Flaws or defects Crackings Reconstruction works (cm)
Typical thickness of application	<2 cm
Conditions of use	Interiors, Protected exteriors
Complete polymerisation	after 2 hours
Sanding	after 45 minutes on medium thickness
Overcoatable	120 min
Curing ratio	2 - 3% 4000 CAT IN PASTE WHITE for can 4001 CAT IN PASTE WHITE for cartridge

METHODS OF APPLICATION

Plastuk should be applied with a trowel and can be re-coated with most of the enamels and stains available on the market. The can version contains also the catalyst in the quantity indicated in the Technical Data Sheet. The cartridge version comes with the specific DIDOC dispenser, suitable for professional use. This measuring device automatically releases the exact quantity of catalyst required thus avoiding excess in dosage or waste of hardener.



APPLICATION

- Wood floors
- Semi-finished products in wood
- Shutters and frames
- Furniture
- Matchboarding
- Beams and cantilever or canopy roofs



BEFORE AND AFTER



before application

during application

final effect

Founded in 1962 in San Pietro di Feletto (Treviso), in the heart of the North East, IMPA is today one of the most important Italian companies in the market of paints and varnishes. A modern company standing out for the professionalism, creativity and commitment with which it has developed services and products of excellence for 60 years in the decorative, industry and car refinish market sectors.

SECTORS



BUILDING

Line of products for every part of the building sector. We meet both the needs regarding performance of the buildings and the health of their occupants.

FIRE PROTECTION

We are constantly at work to incorporate and anticipate regulatory requirements in the field of personal safety. Barrier is the line of products devoted to fire protection.

WOOD

The restauration of wood according to IMPA. Line of professional products for every demand of application.

MARBLE AND STONE

Two-components mastics line for repairing andreconstruction of marble, stone, granite and porcelainitems.



CAR REFINISH

We support the automotive business by designing products that meet the needs of both large groups and small workshops.

MARINE

We have always stood out for our research in different sectors: the nautical product line is the result of the combination of skills in the bodywork and industrial sectors, guaranteeing outstanding performance in extreme conditions.



INDUSTRY

Modern production dynamics find their perfect partners in the industrial line: products designed for large-scale painting cycles.

DISTRIBUTOR



IMPA S.p.A. Unipersonale – Via Crevada, 9/E
31020 San Pietro di Feletto TV – ITALY
T +39 0438 4548
F + 39 0438 454915
info@impa.it – www.impa.it

Company under the management
and coordination of Fassa S.r.l.